

Dehydrated Culture Media



Description	Packaging	Ref.
A1 MEDIUM Basal liquid medium for fecal coliforms detection in water and food. TRITON X 100 supplement	APHA 500 g 100 g 5x5 mL	610105 620105 80046
ACETAMIDE AGAR Medium for differentiation of nonfermentative, gram-negative bacteria, especially <i>Pseudomonas aeruginosa</i> , on the basis of acetamide utilization.	500 g	610312
ACETAMIDE BROTH Broth for the differentiation of nonfermentative, gram-negative bacteria, especially <i>Pseudomonas aeruginosa</i> , on the basis of acetamide utilization.	500 g	610313
AEROMONAS AGAR BASE Basal medium for selective isolation of Aeromonas. AMPICILLIN supplement (Ampicillin)	500 g 100 g 10 vials	610048 620048 81001
ALKALINE PEPTONE WATER Liquid enrichment medium for <i>Vibrio</i> spp. isolation.	APHA 500 g 100 g	610098 620098
AMIES TRANSPORT MEDIUM (with charcoal) Semi-solid medium for transport of clinical, environmental specimens and of microorganisms.	500 g 100 g 5 kg	610152 620152 6101525
AMIES TRANSPORT MEDIUM (w/o charcoal) Semi-solid medium for transport of clinical, environmental specimens and of microorganisms.	500 g 100 g 5 kg	610191 620191 6101915
ANAEROBIC AGAR (BREWER) Medium for cultivating anaerobic microorganisms.	500 g	610320
ANDRADE LACTOSE PEPTONE WATER Liquid medium for coliforms detection with andrade's indicator.	500 g 100 g	610118 620118
ANDRADE PEPTONE WATER Liquid enrichment medium with andrade's indicator.	500 g 100 g	610119 620119
ANTIBIOTIC AGAR No.1 Surface medium for the antibiotic assay by agar-diffusion method.	E.P. 500 g	610314
ANTIBIOTIC BROTH No.3 Broth for turbidimetric assay of antibiotics.	U.S.P. 500 g	610316
ANTIBIOTIC AGAR No.11 Medium for the microbiological assay of neomycin, used for the base and seed layers.	E.P. 500 g	610315
APT AGAR Medium for counting and cultivating heterofermentative lactic acid bacteria. TWEEN 80 supplement (Tween 80)	APHA 500 g 2x50 mL	610300 80031
ARGININE DECARBOXYLASE BROTH Broth for the detection of the production of arginine decarboxylase by <i>Enterobacteriaceae</i> .	500 g	610306
ASPARAGINE ENRICHMENT BROTH Liquid medium for <i>Pseudomonas aeruginosa</i> detection with MPN method in swimming pools and waters designed for bathing.	APHA 500 g 100 g	610138 620138
AZIDE BLOOD AGAR BASE Selective basal medium for streptococci isolation. SHEEP BLOOD DEFIBRINATED	500 g 100 g 50 mL	610153 620153 83296
AZIDE DEXTROSE BROTH Selective liquid medium for fecal streptococci detection in water and food.	APHA 500 g 100 g	610003 620003
AZIDE MALTOSE AGAR KF Selective medium for fecal streptococci isolation and enumeration. TTC 1% supplement	APHA 500 g 100 g 5x10 mL	610154 620154 80300
AZIDE VIOLET BLOOD AGAR BASE Selective basal medium for streptococci isolation. SHEEP BLOOD DEFIBRINATED	500 g 100 g 50 mL	610155 620155 83296
BACILLUS CEREUS AGAR BASE (MOSSEL, MYP) Basal medium for selective isolation and enumeration of <i>Bacillus cereus</i> . EGG YOLK emulsion	ISO 7932 500 g 100 g ISO 7932 4x50 mL	610114 620114 80219
BACILLUS cereus supplement (Polymyxin B)	10 vials	81016
BACILLUS CEREUS AGAR BASE (PEMBA) Basal medium for selective isolation and enumeration of <i>Bacillus cereus</i> .	ISO 21871 500 g 100 g	610136 620136

Dehydrated Culture Media



Description	Packaging	Ref.
EGG YOLK emulsion Supplement for lecithinase producers bacteria (<i>Staphylococcus</i> , <i>Bacillus</i> and <i>Clostridium</i>) isolation.	ISO 7932 4x50 mL	80219
BACILLUS cereus supplement (Polymyxin B)	10 vials	81016
BAIRD PARKER AGAR BASE Selective basal medium for <i>Staphylococcus aureus</i> isolation.	ISO 6888-1 500 g 100 g	610004 620004
EGG YOLK TELLURITE emulsion Supplement for coagulase positive staphylococci isolation in food.	ISO 6888-1 4x50 mL	80122
R.P.F. supplement Selective and diagnostic supplement for isolation, enumeration and confirmation of <i>Staphylococcus aureus</i> from food and other specimens.	ISO 6888-2 8 vials	81057
BAIRD PARKER AGAR BASE acc. to E.P. Selective basal medium for <i>Staphylococcus aureus</i> isolation.	E.P. 500 g	610338
EGG YOLK TELLURITE emulsion Supplement for coagulase positive staphylococci isolation in food.	ISO 6888-1 4x50 mL	80122
BARNES AGAR BASE Selective basal medium for fecal streptococci isolation and identification.	500 g 100 g 5x10 mL	610156 620156 80300
BEER UNIVERSAL AGAR Medium for isolation of microorganisms contaminating beer.	500 g 100 g	610126 620126
BIGGY (NICKERSON) AGAR Selective medium for <i>Candida</i> spp. isolation and presumptive identification.	500 g 100 g	610135 620135
BILE AESCULIN AGAR Medium for group D streptococci isolation.	500 g 100 g	610210 620210
BILE AESCULIN BROTH Selective medium for group D streptococci isolation.	ISO 7899-2 500 g 100 g	610151 620151
BILE AESCULIN AZIDE AGAR Selective medium for group D streptococci isolation.	ISO 7899-2 500 g 100 g	610001 620001
BIOTONE AGAR Medium for fastidious microorganisms cultivation.	APHA 500 g 100 g	610157 620157
BISMUTH SULPHITE AGAR Selective medium for isolation and differentiation of <i>Salmonella typhi</i> and other salmonellae from clinical specimens and other materials.	U.S.P. 500 g	610301
BLOOD AGAR BASE Basal medium for fastidious microorganisms isolation and for haemolysis test.	500 g 100 g	610005 620005
SHEEP BLOOD DEFIBRINATED	50 mL	83296
BLOOD AGAR BASE No.2 Basal medium for fastidious microorganisms isolation and for haemolysis test.	ISO 10560 500 g 100 g	610188 620188
SHEEP BLOOD DEFIBRINATED	50 mL	83296
BOLTON BROTH Basal broth for enrichment of <i>Campylobacter</i> spp.	ISO 10272-1 500 g 100 g	610216 620216
CAMPYLOBACTER C.T.V.A. supplement (Cefoperazone, Trimethoprim, Vancomycin, Amphotericin B) Selective supplement for enrichment of <i>Campylobacter</i> spp.	ISO 10272-1 10 vials	81077
BORDET GENGOU AGAR BASE Basal medium for selective isolation of <i>Bordetella</i> spp.	500 g 100 g	610006 620006
BORDETELLA supplement (Cephalexin)	10 vials	81013
SHEEP BLOOD DEFIBRINATED	50 mL	83296
BRAIN HEART INFUSION AGAR Medium for cultivation of fastidious aerobic and anaerobic bacteria.	500 g 100 g	610007 620007
BRAIN HEART INFUSION BROTH Medium for cultivation of fastidious aerobic and anaerobic bacteria.	500 g 100 g 5 kg	610008 620008 6100085
BRILLIANT GREEN AGAR Selective medium for <i>Salmonella</i> spp. isolation other than <i>S. typhi</i> .	U.S.P. 500 g 100 g	610009 620009
BRILLIANT GREEN BILE BROTH 2% Selective medium for detection and confirmation of coliforms.	ISO 4831 ISO 4832 500 g 100 g 5 kg	610010 620010 6100105
BROMOCRESOL PURPLE AZIDE BROTH Broth for the confirmation of the enterococci presence, particularly in the bacteriological analysis of water.	500 g	610321

Dehydrated Culture Media



Description	Packaging	Ref.	
GLYCEROL supplement (Glycerol)	4x50 mL	80021	
BRUCELLA AGAR BASE Basal medium for selective isolation of <i>Brucella</i> spp. and other bacteria.	APHA 500 g 100 g	610079 620079	
BRUCELLA supplement (Polymyxin B, Bacitracin, Cyclohexinide, Nalidixic Acid, Nystatin, Vancomycin)	10 vials	81003	
BRUCELLA BROTH Medium for the cultivation of <i>Brucella</i> spp. and other fastidious microorganisms.	500 g	610356	
BRYANT AND BURKEY MEDIUM Medium for the selective enrichment of lactate-fermenting clostridia (<i>C. tyrobutyricum</i>) which are responsible for "late blowing" in brine-salted semi-hard and hard cheeses and other dairy products.	500 g	610142	
BUFFERED PEPTONE WATER Medium for <i>Salmonella</i> pre-enrichment in food.	ISO 6579 ISO 6785 5 Kg	500 g 100 g 611014 621014 6110145	
BUFFERED SODIUM CHLORIDE PEPTONE SOLUTION acc. to E.P. Medium for the microbial examination of non-sterile pharmaceutical products, e.g. solution for sample preparation or dilution or washing solution.	ISO 21149 E.P.	500 g	610335
CAMPYLOBACTER AGAR Basal medium for selective isolation of <i>Campylobacter</i> spp.	AOAC 500 g 100 g	611007 621007	
SHEEP BLOOD DEFIBRINATED	50 mL	83296	
HORSE BLOOD LYSED	100 mL	83397	
Lysed horse blood for bacteriological use.			
CAMPYLOBACTER growth supplement (Sodium pyruvate, Sodium metabisulphite, Ferrous sulphate)	10 vials	81050	
CAMPYLOBACTER Blaser Wang supplement (Polymyxin B, Trimethoprim, Amphotericin B, Cephalotin, Vancomycin)	10 vials	81051	
CAMPYLOBACTER Preston supplement (Polymyxin B, Trimethoprim, Cyclohexinide, Rifampicin)	10 vials	81004	
CAMPYLOBACTER Skirrow supplement (Polymyxin B, Trimethoprim, Vancomycin)	10 vials	81055	
CAMPYLOBACTER BLOOD FREE MEDIUM BASE Basal medium for selective isolation of <i>Campylobacter jejuni</i> , coli, landis from clinical samples.	ISO 10272-1 500 g 100 g	610130 620130	
CAMPYLOBACTER C.C.D.A. supplement (Cefoperazone, Amphotericin B).	ISO 10272-1 10 vials	81037	
CAMPYLOBACTER ENRICHMENT BROTH BASE Basal broth for selective enrichment of <i>Campylobacter</i> spp.	500 g 100 g	610131 620131	
CAMPYLOBACTER C.T.V.N. supplement (Cefoperazone, Trimethoprim, Vancomycin, Nystatin)	10 vials	81038	
CAMPYLOBACTER KARMALI AGAR BASE Basal medium for selective isolation of <i>Campylobacter</i> spp.	AOAC 500 g 100 g	610200 620200	
CAMPYLOBACTER KARMALI supplement (Sodium pyruvate, Cefoperazone, Vancomycin, Cyclohexinide)	10 vials	81036	
CARY BLAIR TRANSPORT MEDIUM Semi-solid medium for transport of clinical specimens and microorganisms.	500 g 100 g	611402 621402	
CASEIN PEPTONE LECITHIN POLYSORBATE BROTH BASE Broth for diluting samples of pharmaceutical, cosmetic and other raw materials or final products when determining microbial counts.	U.S.P. 500 g	610302	
TWEEN 20 supplement (Tween 20)	2x50 mL	80032	
CETRIMIDE AGAR Selective basal medium for <i>Pseudomonas aeruginosa</i> isolation.	E.P. 500 g 100 g 5 kg	610041 620041 6100415	
GLYCEROL supplement (Glycerol)	4x50 mL	80021	
CLED AGAR Differential medium for total bacterial count of urine.	500 g 100 g 5 kg	610012 620012 6100125	
CLED ANDRADE AGAR Medium for total bacterial count of urine.	500 g 100 g	610112 620112	
CLOSTRIDIUM BROTH Semisolid medium for clostridia and other anaerobes cultivation in food and clinical samples.	ISO 6461-1 E.P. 500 g 100 g	610056 620056	
CLOSTRIDIUM DIFFICILE AGAR BASE Basal medium for selective isolation of <i>Clostridium difficile</i> .	500 g 100 g	610115 620115	

Dehydrated Culture Media



Description	Packaging	Ref.	
SHEEP BLOOD DEFIBRINATED	50 mL	83296	
CLOSTRIDIUM difficile supplement (D-Cyclozenine, Cefoxitin)	10 vials	81007	
CLOSTRIDIUM Perfringens AGAR BASE	ISO 7937	500 g 100 g	610207 620207
Basal medium for selective isolation of <i>Clostridium perfringens</i> .			
EGG YOLK emulsion	ISO 7932	4x50 mL	80219
Enrichment supplement for lecithinase producing bacteria (<i>Staphylococcus</i> , <i>Bacillus</i> and <i>Clostridium</i>) isolation.			
CLOSTRIDIUM perfringens (T.S.C.) supplement (D-Cycloserine).	ISO 7937	10 vials	81011
KANAMYCIN / POLYMYXIN B supplement (Kanamycin, Polymyxin B)		10 vials	81031
COLUMBIA AGAR BASE		500 g 100 g 5 kg	610013 620013 6100135
Basal medium for fastidious microorganisms isolation.			
SHEEP BLOOD DEFIBRINATED	50 mL	83296	
CNA (Staf/Strep) supplement (Colistin, Nalidixic acid)	10 vials	81048	
GARDNERELLA vaginalis supplement (Gentamicin, Nalidixic acid, Amphotericin B)	10 vials	81040	
COLUMBIA C.N.A. AGAR BASE		500 g 100 g	610113 620113
Selective medium for isolation of streptococci and staphylococci.			
SHEEP BLOOD DEFIBRINATED	50 mL	83296	
C.P.L.M. SELECTIVE WITH CAF		500 g 100 g	610159 620159
Selective medium for <i>Trichomonas vaginalis</i> isolation and cultivation.			
HORSE SERUM		100 mL	83810
CYSTINE HEART AGAR		500 g	610506
Medium for cultivating <i>Francisella tularensis</i> and gram-negative cocci.			
CZAPEK DOX AGAR	ISO 6461-1	500 g 100 g	610095 620095
Medium for cultivation of fungi and bacteria capable of using sodium nitrate as the sole nitrogen source.			
CZAPEK DOX BROTH		500 g 100 g	610072 620072
Liquid medium or cultivation of fungi and bacteria capable of using sodium nitrate as the sole nitrogen source.			
DNase TEST AGAR		500 g 100 g	610205 620205
Medium for detection of deoxyribonucleasic activity (DNase) of microorganisms.			
DEMI FRASER BROTH	ISO 11290-1	500 g 100 g	610091 620091
Basal broth for <i>Listeria</i> enrichment.			
LISTERIA FRASER supplement (Ferric ammonium citrate)		10 vials	81028
DERMATOPHYTE (D.T.M.) AGAR		500 g 100 g 10 vials	610160 620160 81025
Selective medium for selective isolation of dermatophytic fungi.			
DERMATOPHYTE supplement (Chlortetracycline)			
DESOXYCHOLATE AGAR	APHA	500 g 100 g 5 kg	610014 620014 6100145
Selective medium for enterobacteria isolation.			
DESOXYCHOLATE CITRATE AGAR		500 g 100 g	610015 620015
Selective medium for pathogenic enterobacteria isolation.			
DEXTROSE AGAR		500 g 100 g	610002 620002
Medium for cultivation and maintaining of microorganisms.			
DEXTROSE BROTH		500 g 100 g	610161 620161
Broth for cultivation and maintaining of microorganisms.			
DEXTROSE TRYPTONE AGAR		500 g	610198
Medium for the enumeration of spores of mesophilic and thermophilic bacillus in sugar, sweet desserts, aromatic preparation and other foodstuffs.			
DRIGALSKI LACTOSE AGAR		500 g 100 g	610016 620016
Selective medium for pathogenic enterobacteria isolation.			
E.C. BROTH	ISO 7251	500 g 100 g	610063 620063
Selective broth for fecal coliforms detection and for <i>E. coli</i> confirmation.			
E.C. BROTH MUG		500 g	610332
Selective broth for fecal coliforms and <i>E. coli</i> detection in water.			
E.E. BROTH	E.P.	500 g 100 g	610017 620017
Broth for enterobacteria selective enrichment.			
E.M.B. LEVINE AGAR	U.S.P.	500 g 100 g	610019 620019
Selective medium for gram-negative enteric bacteria isolation.			
ENDO AGAR	APHA	500 g 100 g	610020 620020
Medium for coliforms detection, enumeration and confirmation.			

Dehydrated Culture Media



Description		Packaging	Ref.
ENTEROBACTER SAKAZAKII ISOLATION AGAR Selective medium for <i>Enterobacter sakazakii</i> isolation.	ISO 22964	500 g	610623
EUGON LT 100 AGAR Medium for count and isolation of mesophilic bacteria in cosmetics.	ISO 21149	500 g	610327
LECITHIN Supplement		4x50 mL	80007
E.V.A. BROTH (ETHYL VIOLET AZIDE) Selective broth for enterococci detection in water and other samples.	APHA	500 g 100 g	611365 621365
G.C. MEDIUM Basal medium for <i>Haemophilus</i> spp. and <i>Neisseria</i> spp. isolation.		500 g 100 g	610022 620022
HORSE BLOOD DEFIBRINATED		100 mL	83396
VITALEX growth supplement		10 vials	81023
L.C.A.T. supplement (Lincomycin, Colistin, Amphotericin B, Trimethoprim)		10 vials	81012
V.C.A.T. supplement (Vancomycin, Colistin, Amphotericin B, Trimethoprim)		10 vials	81041
V.C.N. supplement (Vancomycin, Colistin, Nystatin)		10 vials	81022
V.C.N.T. supplement (Vancomycin, Colistin, Nystatin, Trimethoprim)		10 vials	81024
HAEMOPHILUS supplement (Bacitracin, Vancomycin, Clindamycin)		10 vials	81014
GELATIN PEPTONE AGAR (Agar gelisato) Medium for total bacterial count of aerobes in ice creams.	AOAC	500 g 100 g 5 kg	610054 620054 6100545
GIOLITTI CANTONI BROTH BASE Basal broth for <i>Staphylococcus aureus</i> enrichment.	ISO 6888-3	500 g 100 g	610100 620100
POTASSIUM TELLURITE 3.5% supplement		5x10 mL	80291
GLUCOSE SALT TEEPOL BROTH Medium for selective enrichment and enumeration (MPN method) of <i>Vibrio parahemolyticus</i> from foodstuffs.		500 g	610359
G.N. HAJNA BROTH Broth for gram-negatives enrichment.		500 g 100 g	610163 620163
HEART INFUSION BROTH Broth for fastidious bacteria cultivation.	AOAC	500 g 100 g 5 kg	611021 621021 6110215
HEKTOEN ENTERIC AGAR Selective medium for pathogenic enterobacteria isolation.	ISO 21567	500 g 100 g 5 kg	610021 620021 6100215
HERELLEA AGAR Selective medium for isolation from urethral and vaginal specimens.		500 g 100 g 5 kg	610164 620164 6101645
HHD BROTH Medium for differentiation of heterofermentative and homofermentative lactic bacteria.		500 g 100 g	610064 # 620064 #
IRON SULPHITE AGAR Medium for thermophilic anaerobes determination.		500 g 100 g	611401 621401
ISOSENSITEST AGAR Medium for susceptibility test.		500 g 100 g	611265 621265
KANAMYCIN AESCULIN AZIDE AGAR Selective medium for isolation of group D streptococci in food.	APHA	500 g 100 g	610190 620190
KLIGLER IRON AGAR Differential medium for enterobacteria identification.	ISO 10273	500 g 100 g	610023 620023
LACTOSE BROTH Broth for coliforms detection.	ISO 9308-2	500 g 100 g	611202 621202
LACTOSE GELATIN MEDIUM Dehydrated medium for the identification of <i>C. perfringens</i> by lactose and gelatin test.	ISO 7937	500 g	610360
LACTOSE SULFITE BROTH Selective medium for the detection and enumeration of spores of <i>Clostridium perfringens</i> in food products.	ISO 7937	500 g	610358
LAURYL PEPTO BROTH Broth for selective enrichment of coliforms in water and dairy products.	ISO 7251	500 g 100 g	610189 620189
LAURYL TRYPTOSE BROTH Broth for selective enrichment of coliforms in water and dairy products.	ISO 7251	500 g 100 g	610085 620085
KOSER CITRATE BROTH Broth for enterobacteria differentiation on the basis of their capability of utilizing citrate as the sole carbon source.	AOAC	500 g 100 g	610165 620165

Dehydrated Culture Media



Description		Packaging	Ref.
L.B. MEDIUM (LURIA BERTANI) Medium for cultivation of recombinant <i>Escherichia coli</i> .		500 g 100 g	610084 620084
LEGIONELLA C.Y.E. AGAR BASE (w/o ACES AND α-CHETOGlutARIC ACID) Basal medium for <i>Legionella</i> spp. isolation.	ISO 11731-1	500 g 100 g	610125 620125
LEGIONELLA (B.C.Y.E.) growth supplement (Aces, L-cysteine, Ferric pyrophosphate, α -ketoglutamate).	ISO 11731-1	10 vials	81056
LEGIONELLA (B.M.P.A.) supplement (Cefamandole, Polymyxin B, Anisomycin)		10 vials	81002
LEGIONELLA (G.V.P.C.) supplement (Glycine, Vancomycin, Polymyxin B, Cycloheximide).	ISO 11731-1	10 vials	81008
LEGIONELLA (M.W.Y.) supplement (Anisomycin, Polymyxin B, Vancomycin, Glycine, Bromothynol Blue, Bromocrystal Purple).		10 vials	81019
LETHEEN AGAR BASE Basal medium for coefficient phenol detection of quaternary ammonium disinfectants.		500 g 100 g	610076 620076
LETHEEN supplement (Lecithin)		4x50 mL	80008
TWEEN 80 supplement (Tween 80)		2x50 mL	80031
LETHEEN BROTH BASE Basal medium for coefficient phenol detection of quaternary ammonium disinfectants.	AOAC	500 g 100 g	610208 620208
LETHEEN supplement (Lecithin)		4x50 mL	80008
TWEEN 80 supplement (Tween 80)		2x50 mL	80031
LETHEEN BROTH MODIFIED Medium for the evaluation of bactericidal activity of quaternary ammonium base.	ISO 21149	500 g	610328
TWEEN 80 supplement (Tween 80)		2x50 mL	80031
LISTERIA ENRICHMENT BROTH BASE (Lovett) Broth for enrichment of <i>Listeria</i> spp. according to Lovett formulation.	APHA	500 g 100 g	610326 620326
LISTERIA SUPPLEMENT FOR ENRICHMENT (FDA/IDF) Selective supplement for <i>Listeria</i> isolation.		10 vials	81045
LISTERIA FRASER BROTH Basal medium for <i>Listeria monocytogenes</i> selective enrichment.	ISO 11290-1	500 g 100 g	610166 620166
LISTERIA FRASER supplement (Ferric ammonium citrate)		10 vials	81028
LISTERIA OXFORD AGAR BASE Basal medium for selective isolation and differentiation of <i>L. monocytogenes</i> .	ISO 11290-1	500 g 100 g	610167 620167
LISTERIA OXFORD supplement (Cefotetan, Fosfomycin)		10 vials	81027
LISTERIA OXFORD AGAR BASE ISO 11290 Basal medium w/o antibiotics and acriflavine for the isolation of <i>L. monocytogenes</i> .	ISO 11290-1	500 g	610231
LISTERIA OXFORD WITH CEF/FOS/COL/CYC/ACR supplement (Cefotetan, Fosfomycin, Colistin, Cycloheximide, Acriflavine)		10 vials	81629
LISTERIA PALCAM AGAR BASE Basal medium for selective isolation and differentiation of <i>L. monocytogenes</i> .	ISO 11290-1	500 g 100 g	610168 620168
LISTERIA PALCAM supplement (Polymyxin B, Ceftazidime, Acriflavina HCl)		10 vials	81026
LISTERIA U.V.M. 1 BROTH Broth for <i>Listeria monocytogenes</i> selective enrichment.	USDA-FSIS	500 g 100 g	610031 620031
LISTERIA U.V.M. 2 BROTH Broth for <i>Listeria monocytogenes</i> selective enrichment.	USDA-FSIS	500 g 100 g	610045 620045
LITMUS MILK Medium for the maintenance of lactic acid bacteria and for the determination of bacterial action on milk.		500 g	610318
LOWENSTEIN JENSEN MEDIUM Selective medium for mycobacteria isolation.		500 g 100 g	610026 620026
GLYCEROL supplement (Glycerol)		4x50 mL	80021
LYSINE DECARBOXYLASE BROTH Broth for the detection of the production of lysine decarboxylase by <i>Enterobacteriaceae</i> .	APHA	500 g	610303
LYSINE IRON AGAR Differential medium for enterobacteria isolation.		500 g 100 g	610027 620027
M17 AGAR Medium for lactic streptococci cultivation.		500 g 100 g	610192 620192
M.R.S. AGAR Basal medium for lactobacillus isolation.	ISO 15214	500 g 100 g	610024 620024
TWEEN 80 supplement (Tween 80)		2x50 mL	80031
M.R.S. BROTH Basal medium for lactobacillus enrichment and isolation.	ISO 15214	500 g 100 g	610025 620025

Dehydrated Culture Media



Description	Packaging	Ref.
TWEEN 80 supplement (Tween 80)	2x50 mL	80031
M.S.R.V. (Modified Semisolid Rappaport Vassiliadis) MEDIUM BASE Semisolid basal medium for selective isolation of motile <i>Salmonella</i> spp.	500 g 100 g	610018 620018
NOVOBIOCIN supplement (Novobiocin).	ISO 6579	10 vials
MAC CONKEY AGAR Selective and differential medium for coliforms and intestinal pathogens isolation.	E.P. 500 g 100 g 5 kg	610028 620028 6100285
MUG supplement		10 vials
MAC CONKEY AGAR w/o CRYSTAL VIOLET Differential moderately selective medium for enterobacteria isolation.	500 g 100 g	610195 620195
MAC CONKEY AGAR w/o Bile Salt Selective and differential medium for coliforms isolation with <i>Proteus</i> spp. swarming inhibition.	500 g	610128
MAC CONKEY BROTH Selective and differential broth for the detection of coliforms in water, milk and other materials of sanitary importance.	E.P. 500 g	610337
MAC CONKEY BROTH (Purple) Selective and differential broth for coliforms isolation (with BCP).	500 g 100 g	610171 620171
MAC CONKEY BROTH MODIFIED (w/o NaCl) Selective and differential broth for coliforms isolation (with BCP).	500 g 100 g	610149 620149
MAC CONKEY MUG AGAR Selective and differential medium for <i>Escherichia coli</i> isolation.	500 g 100 g 5 kg	610170 620170 6101705
MAC CONKEY SORBITOL AGAR Selective and differential medium for <i>E. coli</i> O157 isolation.	500 g 100 g	610108 620108
CEFIXIME TELLURITE Supplement	10 vials	81082
MALONATE BROTH Broth for enterobacteria differentiation.	500 g 100 g	610172 620172
MALT AGAR Medium for yeasts and moulds isolation and enumeration.	AOAC 500 g 100 g	610101 620101
MALT EXTRACT AGAR Medium for yeasts and moulds isolation and enumeration.	500 g 100 g	610173 620173
MALT EXTRACT BROTH Broth for yeasts and moulds culture.	AOAC 500 g 100 g	610069 620069
MANNITOL MOTILITY TEST MEDIUM Medium for differentiation of Enterobacteriaceae.	500 g 100 g	610235 620235
MANNITOL SALT AGAR Selective medium for pathogenic staphylococci isolation.	E.P. 500 g 100 g 5 kg	610029 620029 6100295
MAXIMUM RECOVERY BROTH Isotonic diluent for microorganisms optimal recovery.	ISO 6887-1 500 g 100 g	610077 620077
m-CP AGAR BASE Basal medium for selective isolation of <i>C. perfringens</i> in waters.	98/83/EC 500 g 100 g	610199 620199
m-CP supplement	10 vials	81034
m-CP Supp.A Phenolphthalein diphosphate	10 vials	81070
m-CP Supp.B Ferric chloride	10 vials	81071
m-CP Supp.C Indoxyl B-D-Glucoside	10 vials	81072
m-ENDO AGAR LES Medium for coliforms enumeration in water by membrane filtration.	APHA 500 g 100 g	611011 621011
m-ENDO BROTH Broth for coliforms counting in water by membrane filtration.	APHA 500 g 100 g	610220 620220
m-FC AGAR BASE Selective basal medium for fecal coliforms isolation and enumeration by membrane filtration method.	APHA 500 g 100 g 5 kg	611012 621012 6110125
ROSOLIC ACID supplement (Rosolic acid)	10 vials	81029
m-FC BROTH BASE Selective basal broth for fecal coliforms isolation and enumeration by membrane filtration method.	APHA 500 g 100 g	610162 620162
ROSOLIC ACID supplement (Rosolic acid)	10 vials	81029
MICROBIAL CONTENT TEST AGAR BASE Basal medium for bacterial count determination with inactivation of disinfectants.	500 g	610094

Dehydrated Culture Media



Description	Packaging	Ref.
LECITHIN supplement (Lecithin)	4x50 mL	80007
TWEEN 80 supplement (Tween 80)	2x50 mL	80031
MIDDLEBROOK 7 H 10 AGAR BASE Basal medium for mycobacteria cultivation.	500 g 100 g	611022 621022
MIDDLEBROOK 7 H 10 supplement (Oleic acid, Glucose, NaCl)	4x50 mL	81035
GLYCEROL supplement (Glycerol)	4x50 mL	80021
MILK PLATE COUNT AGAR Medium for bacterial count in milk and dairy products.	500 g 100 g	610073 620073
MOTILITY INDOLE UREA AGAR Medium for Enterobacteriaceae identification.	500 g	610236
MOTILITY TEST AGAR Medium for the detection of motility of gram-negative enteric bacilli.	500 g 100 g	610132 620132
MRS-IM + MALTOSE Medium for counting probiotic bacteria.	500 g 100 g	610067 620067
TWEEN 80 supplement (Tween 80)	2x50 mL	80031
MRS-IM + GLUCOSE Medium for counting probiotic bacteria.	500 g 100 g	610068 620068
TWEEN 80 supplement (Tween 80)	2x50 mL	80031
MR-VP BROTH Broth for carrying out Methyl Red (MR) and Voges-Proskauer (VP) tests.	ISO 6785 ISO 6579	610032 620032
MUELLER HINTON AGAR II Medium for susceptibility test (Kirby Bauer method), low concentration of thymine-thymidine with Ca++ and Mg++.	CLSI	610627 620627 5 kg
MUELLER HINTON BROTH Broth for susceptibility test by dilution method.	CLSI	610034 620034
MULLER KAUFFMANN BROTH BASE Basal broth for <i>Salmonella</i> spp selective enrichment.	ISO 6785	610035 620035
MULLER KAUFFMANN supplement (Iodine, Potassium iodide, Brilliant green)	2x50 mL Iodine 50 mL B.G. 0.1%	80047
MULLER KAUFFMANN TETRATHIONATE BROTH BASE Basal medium for <i>Salmonella</i> spp. selective enrichment from water, foodstuffs and fecal samples.	ISO 6579	610239 620239
IODINE MKTT SOLUTION	10 tubes x 10 mL	80009
NOVOBIOCIN MKTT Supplement	10 vials	81073
NITRATE BROTH Broth for the identification of aerobic and facultative anaerobic gram-negative microorganisms by means of the nitrate reduction test.	500 g	610322
NUTRIENT AGAR Medium for non fastidious bacteria growth.	ISO 12780	610036 620036
NUTRIENT BROTH Broth for non fastidious bacteria growth.	APHA	610037 620037 5 kg
NUTRIENT BROTH no.2 Broth for non fastidious bacteria growth. Base broth for the enrichment of <i>Campylobacter</i> spp.	ISO 17995	610217 620217
CAMPYLOBACTER Preston supplement (Polymyxin B, Trimethoprim, Cyclohexinide, Rifampicin)	10 vials	81004
CAMPYLOBACTER growth supplement (Sodium pyruvate, Sodium metabisulphite, Ferrous sulphate)	10 vials	81050
HORSE BLOOD LYSED	100 mL	83397
O.F. BASAL MEDIUM Medium for the detection of oxidative and fermentative carbohydrate degradation, particularly for the differentiation of gram-negative intestinal bacteria.	500 g	610304
O.G.Y.E. AGAR BASE Basal medium for selective enumeration of yeasts and moulds.	ISO 7954	610202 620202 5 kg
O.G.Y.E. supplement (Oxytetracycline)	10 vials	81018

Dehydrated Culture Media



Description		Packaging	Ref.
ORANGE SERUM AGAR Medium for isolation and count of bacteria and yeasts in citrus fruit and by-products.	APHA	500 g 100 g 5 kg	610078 620078 6100785
ORANGE SERUM BROTH Broth for cultivation and enumeration of microorganisms associated with spoilage of citrus products.		500 g	610307
ORNITHINE DECARBOXYLASE BROTH Broth for the detection of the production of ornithine decarboxylase by <i>Enterobacteriaceae</i> .		500 g	610305
P.P.L.O. BROTH Broth for mycoplasma cultivation.	APHA	500 g 100 g	610109 620109
PEPTONE WATER Medium for indole production detection.	ISO 7251	500 g 100 g	610038 620038
PFIZER SELECTIVE ENTEROCOCCUS AGAR Medium for selective isolation, cultivation and enumeration of <i>Enterococcus</i> spp.		500 g	610319
PHENOL RED AGAR BASE Base medium used with the addition of carbohydrates for differentiating pure culture of bacteria based on sugar fermentation reactions.		500 g	610308
PHENOL RED BROTH BASE Broth for carbohydrates fermentation studies.		500 g 100 g	610174 620174
PHENYLALANINE AGAR Medium for enterobacteria differentiation.		500 g 100 g	610039 620039
FERRIC CHLORIDE 10% (Ferric chloride)		2x25 mL	80272
PHENYLALANINE MALONATE BROTH Broth for enterobacteria differentiation.		500 g 100 g	610075 620075
FERRIC CHLORIDE 10% (Ferric chloride)		2x25 mL	80272
PLATE COUNT AGAR Medium for total bacterial count detection in foodstuffs and water.	ISO 4833	500 g 100 g 5 kg	610040 620040 6100405
POTATO DEXTROSE AGAR Medium for yeasts and moulds enumeration in food and dairy products.	E.P.	500 g 100 g 5 kg	610102 620102 6101025
POTATO DEXTROSE BROTH Broth for yeasts and moulds enumeration in food and dairy products.	APHA	500 g 100 g 5 kg	610106 620106 6101065
POTATO INFUSION AGAR Medium for <i>Brucella</i> spp. isolation.		500 g 100 g	610011 620011
PROTEOSE PEPTONE Special peptone obtained by enzymatic hydrolysis of animal tissue.		500 g	612201
PSEUDOMONAS AGAR BASE Basal medium for selective isolation of <i>Pseudomonas</i> spp.	ISO 12780	500 g 100 g	610071 620071
GLYCEROL supplement (Glycerol)		4x50 mL	80021
C.F.C. (<i>Pseudomonas</i>) supplement (Cetrimide, Fucidin, Cephalordine)		10 vials	81049
C.N. (<i>Pseudomonas</i>) supplement (Cetrimide, Nalidix acid)	ISO 12780	10 vials	81006
PSEUDOMONAS AGAR F Medium for the enhancement of fluorescin production by <i>Pseudomonas</i> spp.	ISO 12780	500 g	610309
GLYCEROL supplement (Glycerol)		4x50 mL	80021
PSEUDOMONAS AGAR P Medium for the enhancement of pyocyanin production by <i>Pseudomonas</i> spp.	U.S.P.	500 g	610310
PURPLE GLUCOSE AGAR Medium for enterobacteria isolation and differentiation.	ISO 21528-2	500 g 100 g	610194 620194
PURPLE LACTOSE AGAR Medium for coliforms isolation and differentiation.		500 g 100 g	610044 620044
R2 AGAR Medium for heterotrophic microorganisms count in the examination of potable water.	E.P.	500 g 100 g	610129 620129
RAPPAPORT VASSILIADIS BROTH Selective enrichment broth for <i>Salmonella</i> isolation.	ISO 6785 ISO 6579	500 g 100 g	610175 620175
REINFORCED CLOSTRIDIAL AGAR Medium for isolation and enumeration of anaerobes, specially <i>Clostridium</i> spp.	ISO 6461-1	500 g 100 g	610096 620096
ROGOSA AGAR Selective basal medium for lactobacilli isolation and enumeration.		500 g 100 g	610176 620176

Dehydrated Culture Media



Description	Packaging	Ref.
TWEEN 80 supplement (Tween 80)	2x50 mL	80031
ROGOSA BROTH Selective basal broth for lactobacilli culture.	500 g 100 g	610177 620177
TWEEN 80 supplement (Tween 80)	2x50 mL	80031
ROSE BENGAL AGAR BASE Basal broth for selective isolation and enumeration of yeasts and moulds.	APHA	500 g 100 g 5 kg
CHLORAMPHENICOL supplement (Cholarmphenicol)		10 vials
ROSE BENGAL CAF AGAR Selective medium for yeasts and moulds isolation and enumeration.	APHA	500 g 100 g
SABOURAUD DEXTROSE AGAR Medium for yeasts and moulds isolation.	harmonized EP	500 g 100 g 5 kg
CHLORAMPHENICOL supplement (Chloramphenicol)		10 vials
GENTAMICIN supplement (Gentamicin)		10 vials
SABOURAUD DEXTROSE BROTH Broth for yeasts, moulds and acidophilic bacteria cultivation.	harmonized EP	500 g 100 g
SABOURAUD CAF AGAR Selective medium for yeasts and moulds isolation.	APHA	500 g 100 g
SABOURAUD CAF AGAR + ACTIDIONE Selective medium for dermatophyte isolation.		500 g 100 g
SABOURAUD MALTOSE AGAR Acid medium for the isolation of dermatophytes, other fungi and yeasts.	U.S.P.	500 g 100 g
SCHAEDLER AGAR BASE Basal medium for anaerobic bacteria isolation.		500 g 100 g
SHEEP BLOOD DEFIBRINATED		50 mL
VITAMIN K 1% supplement (Vitamin K)		5x5 mL
SCHAEDLER supplement (Kanamycin, Vancomycin)		10 vials
SCHAEDLER BROTH Broth for anaerobic bacteria cultivation.		500 g 100 g
SCHWARZ DIFFERENTIAL MEDIUM Medium used in the brewing industry for the differentiation of brewing yeasts from wild yeasts.		500 g
SELENITE BROTH Broth for selective enrichment of <i>Salmonella</i> spp.	APHA	500 g 100 g 5 kg
SELENITE CYSTINE BROTH Medium for selective enrichment of <i>Salmonella</i> spp.	ISO 6785	500 g 100 g
S.F. BROTH Broth medium for fecal streptococci isolation.	AOAC	500 g 100 g
SIERRA LIPOLYTIC AGAR Medium for lipolytic bacteria isolation.		500 g 100 g
SIM MEDIUM Differential medium for indole, motility and H ₂ S tests.		500 g 100 g
SIMMONS CITRATE AGAR Differential medium for enterobacteria identification based on the utilization of citrate as the sole source of carbon.	ISO 10273	500 g 100 g
SLANETZ AND BARTLEY AGAR BASE Selective basal medium for fecal streptococci isolation and enumeration.	ISO 7899-2	500 g 100 g
TTC 1% supplement (TTC)		5x10 mL
SLANETZ AND BARTLEY AGAR + TTC Selective medium for fecal streptococci isolation and enumeration.	ISO 7899-2	500 g 100 g 5 kg
SPS AGAR Selective medium for <i>Clostridium perfringens</i> and sulphite-reducing bacteria isolation and enumeration.	APHA	500 g 100 g
S.S. AGAR MODIFIED Selective medium for <i>Salmonella</i> and <i>Shigella</i> isolation.		500 g 100 g 5 kg
STAPHYLOCOCCUS 110 AGAR Selective medium for staphylococci isolation.		500 g
		611366

Dehydrated Culture Media



Description	Packaging	Ref.
STUART TRANSPORT MEDIUM Semisolid medium for transport of clinical specimens and microorganisms.	500 g 100 g	610182 620182
T.B.X. AGAR Selective chromogenic medium for <i>E. coli</i> detection in food.	ISO 16649-2 500 g 100 g	610224 620224
T.C.B.S. AGAR Selective medium for <i>Vibrio</i> spp. isolation.	ISO 8914 500 g 100 g	611010 621010
TERGITOL AGAR BASE Basal medium for coliforms enumeration and identification. TERGITOL 1.5% Supplement TTC 1% supplement (TTC)	ISO 9308-1 500 g 100 g 4x40 mL 5x10 mL	610184 620184 80042 80300
T.S.I. AGAR Differential medium for enterobacteria identification.	U.S.P. 500 g 100 g	610055 620055
TETRATHIONATE BROTH BASE Basal broth for <i>Salmonella</i> spp. enrichment IODINE solution (Iodine, Potassium iodide)	APHA U.S.P. 500 g 100 g 5x10 mL	610183 620183 81009
THIOGLYCOLLATE MEDIUM Medium for aerobic and anaerobic bacteria for sterility tests.	ISO 7937 E.P. U.S.P. 500 g 100 g	610050 620050
TODD HEWITT BROTH Broth for haemolytic streptococci culture prior to serological identification.	500 g 100 g 5 kg	610051 620051 6100515
TRICHOMONAS BROTH Selective base broth for <i>Trichomonas</i> spp. isolation.	500 g 100 g	610061 620061
HORSE SERUM	100 mL	83810
TRYPTIC (CTA) MEDIUM Semisolid medium for motility test and carbohydrates fermentation.	500 g 100 g	610185 620185
TRYPTIC SOY AGAR Medium for the growth of a wide variety of microorganisms.	E.P. 500 g 100 g	610052 620052
TRYPTIC SOY BROTH Broth for the growth of a wide variety of microorganisms.	E.P. 500 g 100 g 5 kg	610053 620053 6100535
TRYPTONE GLUCOSE EXTRACT AGAR Medium for cultivation and count of microorganisms in food and water.	APHA 500 g 100 g	610089 620089
TRYPTONE SULFITE NEOMYCIN AGAR Medium for <i>Clostridium perfringens</i> detection in food.	500 g 100 g	610074 620074
TRYPTONE WATER Liquid medium for <i>Escherichia coli</i> detection in food and water.	ISO 3811 500 g 100 g	610206 620206
TRYPTOPHAN BROTH Broth of subcultivation for coliform differentiation, and for indole testing in the bacteriological examination of water.	ISO 9308-1 ISO 6579 ISO 6785 500 g 100 g	610197 620197
TRYTOSE AGAR Medium for the growth of a wide variety of microorganisms.	APHA 500 g 100 g	610193 620193
TRYTOSE BROTH Broth for cultivating and maintaining of fastidious microorganisms, including <i>Brucella</i> spp.	500 g 100 g	610233 620233
UREA AGAR BASE Basal medium for enterobacteria urease test. UREA 40% supplement	ISO 6785 ISO 6579 500 g 100 g 10x5 mL	610107 620107 80292
UREA BROTH Broth for the detection of microorganisms which metabolize urea.	500 g	610311
VIOLET RED BILE AGAR MUG Selective medium for isolation and counting of coliforms and <i>Escherichia coli</i> .	500 g 100 g	610187 620187
VIOLET RED BILE GLUCOSE AGAR Selective medium for enterobacteria isolation and enumeration.	ISO 21528-2 E.P. 500 g 100 g	610059 620059
VIOLET RED BILE LACTOSE AGAR Selective medium for coliforms isolation and enumeration.	ISO 4832 500 g 100 g 5 kg	610058 620058 6100585
VOGEL JOHNSON AGAR Selective basal medium for <i>Staphylococcus aureus</i> isolation.	U.S.P. 500 g 100 g	610186 620186
POTASSIUM TELLURITE 1% supplement	5x10 mL	80022
POTASSIUM TELLURITE 3.5% supplement	5x10 mL	80291

Dehydrated Culture Media



Description		Packaging	Ref.
V.R.B. AGAR w GLUCOSE / LACTOSE Medium recommended for the detection and enumeration of enterobacteria.	E.P.	500 g	610336
VRE Agar Base Medium for isolating Vancomycin-resistant enterococci.		500 g	610501
MEROPENEM Supplement		10 vials	81083
W.L. NUTRIENT AGAR Medium for the enumeration and cultivation of yeasts and bacteria in the microbiological control carried out in the brewing and other fermentation industries.		500 g 100 g	610234 620234
WORT AGAR Medium for the cultivation, isolation and enumeration or enrichment of fungi, especially of yeasts.		500 g	610323
WORT BROTH w/o NaCl Basal broth for isolation and enumeration of yeasts and moulds.		500 g	610080
GLYCEROL supplement (Glycerol)		4x50 mL	80021
WURTZ LACTOSE AGAR Medium for enterobacteria isolation.		500 g 100 g	611210 621210
X.L.D. AGAR Differential and selective medium for pathogenic enterobacteria isolation.	ISO 21567 ISO 6579	500 g 100 g 5 kg	610060 620060 6100605
X.L.T. 4 AGAR BASE Basal medium for selective isolation of <i>Salmonella</i> non <i>typhi</i> and <i>paratyphi</i> .		500 g 100 g	610092 620092
X.L.T. (Tergitol 4)		2x50 mL	80010
YEAST EXTRACT AGAR Medium for microorganisms enumeration in water.	ISO 6222	500 g 100 g	611016 621016
YEAST GLUCOSE CHLORAMPHENICOL AGAR Selective medium for yeasts and moulds isolation and enumeration.	ISO 7954	500 g 100 g	610070 620070
YERSINIA SELECTIVE AGAR BASE Basal medium for selective isolation of <i>Yersinia enterocolitica</i> .	ISO 10273	500 g 100 g	610111 620111
YERSINIA supplement (Cefsulodin, Irgasan, Novobiocin)	ISO 10273	10 vials	81039