

(According to Regulation EC n° 1907/2006 and to Commission Regulation EU 2020/878)

Revision: 3 / Revision Date: 17.04.2023

ENGLISH

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifiers

Product name: Catalase Reagent Product Number: : 87003

1.2 Identified uses of the relevant substance or mixture and uses advised against

Identified uses relevant: Professional uses, Health Services, scientific research and development

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Liofilchem®

Address: Via Scozia, 64026 - Roseto degli Abruzzi (TE)

Telephone number: 085/8930745 Fax number: 085/8930330

E-mail address: liofilchem@liofilchem.com

1.4 Emergency telephone number

+39 02-66101029 (Centro Antiveleni Niguarda Cà Granda - Milano).

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

Skin Corr. 1A, Skin corrosion (Category 1A); H314

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 [CLP]

Pictogram



Signal word Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage

Precautionary statement(s)

P260 Avoid release to the environment.
P264 Wash hands thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 IF ON SKIN: Remove immediately all contaminated clothing. Rinse skin with water.

P363 Wash contaminated clothing before reuse

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P310 Immediately call a POISON CENTER or doctor

P321 Specific treatment

P305 + P351 + P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present

and easy to do. Continue rinsing.

Supplemental Hazard Statements - none

2.3 Other hazards - This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

©Liofilchem® s.r.l. Via Scozia 64026, Roseto degli Abruzzi (TE) Italy - Tel +39 0858930745 - Fax +39 0858930330

MSDS Ref. 87003 Page 1 of 6



(According to Regulation EC n° 1907/2006 and to Commission Regulation EU 2020/878)

Revision: 3 / Revision Date: 17.04.2023

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixtures:

Hazardous substances

CAS n°	EC n°	Index n°	Registration number REACH	Concentration	Classification Regulation 1272/2008	accor (EC)	rding No
Hydrogen Per	oxide						
7722-84-1	231-765-0	008-003-00-9	01-2119485845- 22-xxxx	7,5 %	Ox. Liq. 1; Acute Tox. 4; Skin Corr. 1A; Eye Dam. 1; STOT SE 3; Aquatic Chronic 3; H271, H302, H332, H314, H318, H335, H412		

Additional Information:

For full text of H-statements, see SECTION 16

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact: Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Consult a physician

In case of eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult a physician

If swallowed: Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician

4.2 Most important symptoms and effects, both acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available.

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation. Do not inhale.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided

6.3 Metodi e materiali per il contenimento e per la bonifica

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For information on safe handling, see Chapter 7.

For information on personal protection equipment see Chapter 8.

For disposal information see Chapter 13.

©Liofilchem® s.r.l. Via Scozia 64026, Roseto degli Abruzzi (TE) Italy - Tel +39 0858930745 - Fax +39 0858930330

MSDS Ref. 87003 Page 2 of 6



(According to Regulation EC n° 1907/2006 and to Commission Regulation EU 2020/878)

Revision: 3 / Revision Date: 17.04.2023

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Provide appropriate exhaust ventilation at places where dust is formed.

Do not eat, drink or smoke in work areas, wash hands after use; and remove contaminated clothing and protective equipment before entering areas where you eat.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature, see the product label.

7.3 Specific end uses

Apart from the uses described in section 1.2 are not covered other specific uses.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

no data available

8.2 Exposure controls

Exposure controls

Handle in accordance with good hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eves/Face Protection: It is advisable wear safety goggles

Skin protection: Handle with gloves

Body Protection: Use protective clothes in accordance with laboratory good practices.

Respiratory protection: It is advisable wear dust mask.

Environmental exposure control

For information relating to environmental precautions, see chapter 6.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

Form Liquid Color Coulourless

Odour No data available рΗ No data available Melting point/ freezing point No data available Initial boiling point and boiling range No data available No data available **Evaporation rate** Flammability (solid, gas) No data available Upper / lower flammability or explosive limits No data available Flash point No data available **Auto-ignition temperature** No data available **Decomposition temperature** No data available No data available Vapour pressure Vapour density No data available Relative density No data available Water solubility Soluble

Partition coefficient: n-octanol/waterNo data availableViscosityNo data availableExplosive propertiesNo data availableOxidizing propertiesNo data available

9.2 Other safety information

no data available

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Exposure to direct solar light.

©Liofilchem® s.r.l. Via Scozia 64026, Roseto degli Abruzzi (TE) Italy - Tel +39 0858930745 - Fax +39 0858930330

MSDS Ref. 87003 Page 3 of 6



(According to Regulation EC n° 1907/2006 and to Commission Regulation EU 2020/878)

Revision: 3 / Revision Date: 17.04.2023

10.5 Incompatible materials

Zinc, Powdered metals, Iron, Copper, Nickel, Brass, Iron and iron salts.

10.6 Hazardous decomposition products

No decomposition when used for the intended uses.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity: Mixture toxicity STAmix (Oral) > 3000 mg/kg

Hydrogen Peroxide (CAS 7722-84-1)
 DL50 Oral - Rat - female – 639,7 mg/kg
 LD50 Dermal - Rabbit - male and female - > 2.000 mg/kg

Skin corrosion/irritation: Causes severe burns

Serious eye damage/eye irritation: Causes serious eye damage

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: negative **Carcinogenicity**: no data available

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional information: RTECS: no data available

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

This mixture contains no substances evaluated PBT or vPvB

12.6 Endocrine disrupting properties

The mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

none

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Not be disposed of with household waste. Do not discharge into sewers.

The product must be specially treated adhering to official regulations administrative. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

©Liofilchem® s.r.l. Via Scozia 64026, Roseto degli Abruzzi (TE) Italy - Tel +39 0858930745 - Fax +39 0858930330

MSDS Ref. 87003 Page 4 of 6



(According to Regulation EC n° 1907/2006 and to Commission Regulation EU 2020/878)

Revision: 3 / Revision Date: 17.04.2023

SECTION 14. TRANSPORT INFORMATION

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG: no IATA: no

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

no data available

15. REGULATORY INFORMATION

This safety datasheet complies with:

- the requirements of European Parliament and of the Council Regulation (EC) No. 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and Commission Regulation (EU) No. 453/2010 amending Commission Regulation (EC) No. 1907/2006.
- the requirements of Commission Regulation EU 2020/878

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The product is classified, coded and labeled in accordance with EU Regulation on Hazardous Materials.

15.2 Chemical Safety Assessment

This product has not been made a chemical safety assessment.

16. OTHER INFORMATION

Text of H code(s) and R-phrase(s) mentioned in Section 3

Ox. Liq. 1 Oxidising liquid (Category 1)

Acute Tox. 4 Acute Toxicity (Category 4)

Skin Corr. 1A Skin corrosion (Category 1)

Eye Dam. 1 Serious eye damage (Category 1)

Aquatic Chronic 3, Chronic Long-term aquatic hazard (Category 3)

H271 May cause fire or explosion; strong oxidizer

H302 Harmful if swallowed

H332 Harmful if inhaled

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H335 May cause respiratory irritation

H412 Harmful to aquatic life with long lasting effects

Abbreviations and acronyms

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%

©Liofilchem® s.r.l. Via Scozia 64026, Roseto degli Abruzzi (TE) Italy - Tel +39 0858930745 - Fax +39 0858930330

MSDS Ref. 87003 Page 5 of 6



(According to Regulation EC n° 1907/2006 and to Commission Regulation EU 2020/878)

Revision: 3 / Revision Date: 17.04.2023

- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure

Training advice

The product must be used by qualified personnel. It is recommended to provide basic training with regard to safety and health at work to ensure proper handling of the product.

Further information

The information in this document is based on the present state of our knowledge. The user must ensure the accuracy and completeness of such information in relation to the specific use intended.

Liofilchem® shall not be held liable for any damage resulting from handling or from contact with the above product. See www.liofilchem.com. for additional terms and conditions of sale.

Previous date: 22.09.2020 Revision date: 17.04.2023 Revision Number: rev. 3

©Liofilchem® s.r.l. Via Scozia 64026, Roseto degli Abruzzi (TE) Italy - Tel +39 0858930745 - Fax +39 0858930330

MSDS Ref. 87003 Page 6 of 6